



NORIS SPANLOS NEO CNC HSSPS

Katalog-Nr. 69AC / 79AC



TIN Beschichtung

Schaft h9



1,5xD



A	≤1400N/mm ²	8-25 m/min	Emulsion / Öl
R	≤1100N/mm ²	8-12 m/min	Emulsion / Öl
F	GJS, GTW, GTS	10-12 m/min	Emulsion
N	kurzsp. AlSi	15-30 m/min	Emulsion
S	Ti-Leg. ≤900N/mm ² , Ni-, Co-, Fe-Leg. ≤850N/mm ²	8-10 m/min	Emulsion / Öl